ELSEVIER

Neuroscience Letters 237 (1997) 142–143

Neuroscience Letters

Contents to Volume 237

Volume 237, no. 1

Guidelines for the Submission of Manuscripts v

D2 receptor-mediated inhibition of GABA release by endogenous dopamine in the rat globus pallidus
B. Floran, L. Floran, A. Sierra, J. Aceves (Mexico) 1

Direct measurement of the chloride concentration in newt olfactory receptors with the fluorescent probe
T. Nakamura, H. Kaneko, N. Nishida (Japan) 5

Molecular identification of a dopamine D_{1b} receptor in bovine retinal pigment epithelium
C. Versaux-Botteri, J.-M. Gibert, J. Nguyen-Legros, P. Vernier (France) 9

Lipid mediators modulate NMDA receptor currents in a *Xenopus* oocyte expression system
S. Tabuchi, K. Kume, M. Aihara, S. Ishii, M. Mishina, T. Shimizu (Japan) 13

Alteration of transcription factors NF-κB and STAT1 in Alzheimer's disease brains
Y. Kitamura, S. Shimohama, T. Ota, Y. Matsuoka, Y. Nomura, T. Taniguchi (Japan) 17

The mismatch negativity component reveals the sensory memory during REM sleep in humans
M. Atienza, J.L. Cantero, C.M. Gómez (Spain) 21

Novelty-induced locomotor activity in Long–Evans rats pre- and post-chronic 'binge'-pattern cocaine treatment
L.R. Lucas, S.D. Schlussman, A. Ho, B.S. McEwen, M.J. Kreek (USA) 25

Evidence that protein kinase C activation is involved in the excitatory and facilitatory effects of bradykinin on canine visceral nociceptors in vitro
K. Mizumura, H. Koda, T. Kumazawa (Japan) 29

Activin facilitates neuronal development in the rat amygdala
V.L. Trudeau, D.T. Theodosis, D.A. Poulain (UK, France) 33

Identification of the glial cell types containing carnosine-related peptides in the rat brain
S. De Marchis, R. Cosimo Melcangi, C. Modena, I. Cavaretta, P. Peretto, C. Agresti, A. Fasolo (Italy) 37

5-HT_{1A} receptor mRNA expressions differ in the embryonic spinal cord of male and female rats
L. Zhang, J.L. Barker, G. Xing, O. Giorgi, W. Ma, Y.H. Chang, Q. Hu, N. Choi, D.R. Rubinow (USA, Italy) 41

A metalloprotease-inhibitor reduces pain associated behavior in mice with experimental neuropathy
C. Sommer, C. Schmidt, A. George, K.V. Toyka (Germany) 45

Migration activity of microglia and macrophages into rat brain
F. Imai, M. Sawada, H. Suzuki, N. Kiya, M. Hayakawa, T. Nagatsu, T. Marunouchi, T. Kanno (Japan) 49

A search for primitive Purkinje cells: zebrin II expression in sea lampreys (*Petromyzon marinus*)
M.J. Lannoo, R. Hawkes (USA, Canada) 53

Volume 237, nos. 2,3

Expression and regulation of galanin-R2 receptors in rat primary sensory neurons: effect of axotomy and inflammation
T.-J. Sten Shi, X. Zhang, K. Holmberg, Z.-Q.D. Xu, T. Hökfelt (Sweden) 57

[^{125}I]Azidonicotinoid photoaffinity labeling of insecticide-binding subunit of *Drosophila* nicotinic acetylcholine receptor
M. Tomizawa, J.E. Casida (USA) 61

Psychoneuroimmunological correlates of persisting sciatic pain in patients who underwent discectomy
A. Geiss, E. Varadi, K. Steinbach, H.W. Bauer, F. Anton (Germany, Luxembourg) 65

Quinpirole inhibits striatal and excites pallidal neurons in freely moving rats
K.C. Hooper, D.A. Banks, L.J. Stordahl, I.M. White, G.V. Rebec (USA) 69

Anoxic depression of light-evoked potentials in retina and optic tectum of crucian carp
D. Johansson, G.E. Nilsson, K.B. Døving (Norway) 73

Optical imaging of dynamic horizontal spread of excitation in rat auditory cortex slices
M. Kubota, S. Sugimoto, J. Horikawa, M. Nasu, I. Taniguchi (Japan) 77

Male sexual behavior is associated with LHRH neuron number in middle-aged rats
Y.-F. Tsai, H.-W. Tsai, M.-Y. Tai, R.-L. Huang, M.-T. Peng (Taiwan) 81

Age dependence of the T2-weighted MRI signal in brain structures of a prosimian primate (*Microcebus murinus*)
M. Dhenain, A. Volk, J.-L. Picq, M. Perret, F. Boller, J.-L. Michot (France) 85

Formalin injection in the tail facilitates hindpaw withdrawal reflexes induced by thermal stimulation in the rat: effect of paracetamol
M. Bianchi, A.E. Panerai (Italy) 89

PII S0304-3940(97)00825-2

ELSEVIER

Neuroscience Letters 237 (1997) 142–143

Neuroscience Letters

Contents to Volume 237

Volume 237, no. 1

Guidelines for the Submission of Manuscripts v

D2 receptor-mediated inhibition of GABA release by endogenous dopamine in the rat globus pallidus
B. Floran, L. Floran, A. Sierra, J. Aceves (Mexico) 1

Direct measurement of the chloride concentration in newt olfactory receptors with the fluorescent probe
T. Nakamura, H. Kaneko, N. Nishida (Japan) 5

Molecular identification of a dopamine D_{1b} receptor in bovine retinal pigment epithelium
C. Versaux-Botteri, J.-M. Gibert, J. Nguyen-Legros, P. Vernier (France) 9

Lipid mediators modulate NMDA receptor currents in a *Xenopus* oocyte expression system
S. Tabuchi, K. Kume, M. Aihara, S. Ishii, M. Mishina, T. Shimizu (Japan) 13

Alteration of transcription factors NF-κB and STAT1 in Alzheimer's disease brains
Y. Kitamura, S. Shimohama, T. Ota, Y. Matsuoka, Y. Nomura, T. Taniguchi (Japan) 17

The mismatch negativity component reveals the sensory memory during REM sleep in humans
M. Atienza, J.L. Cantero, C.M. Gómez (Spain) 21

Novelty-induced locomotor activity in Long–Evans rats pre- and post-chronic 'binge'-pattern cocaine treatment
L.R. Lucas, S.D. Schlussman, A. Ho, B.S. McEwen, M.J. Kreek (USA) 25

Evidence that protein kinase C activation is involved in the excitatory and facilitatory effects of bradykinin on canine visceral nociceptors in vitro
K. Mizumura, H. Koda, T. Kumazawa (Japan) 29

Activin facilitates neuronal development in the rat amygdala
V.L. Trudeau, D.T. Theodosis, D.A. Poulain (UK, France) 33

Identification of the glial cell types containing carnosine-related peptides in the rat brain
S. De Marchis, R. Cosimo Melcangi, C. Modena, I. Cavaretta, P. Peretto, C. Agresti, A. Fasolo (Italy) 37

5-HT_{1A} receptor mRNA expressions differ in the embryonic spinal cord of male and female rats
L. Zhang, J.L. Barker, G. Xing, O. Giorgi, W. Ma, Y.H. Chang, Q. Hu, N. Choi, D.R. Rubinow (USA, Italy) 41

A metalloprotease-inhibitor reduces pain associated behavior in mice with experimental neuropathy
C. Sommer, C. Schmidt, A. George, K.V. Toyka (Germany) 45

Migration activity of microglia and macrophages into rat brain
F. Imai, M. Sawada, H. Suzuki, N. Kiya, M. Hayakawa, T. Nagatsu, T. Marunouchi, T. Kanno (Japan) 49

A search for primitive Purkinje cells: zebrin II expression in sea lampreys (*Petromyzon marinus*)
M.J. Lannoo, R. Hawkes (USA, Canada) 53

Volume 237, nos. 2,3

Expression and regulation of galanin-R2 receptors in rat primary sensory neurons: effect of axotomy and inflammation
T.-J. Sten Shi, X. Zhang, K. Holmberg, Z.-Q.D. Xu, T. Hökfelt (Sweden) 57

[^{125}I]Azidonicotinoid photoaffinity labeling of insecticide-binding subunit of *Drosophila* nicotinic acetylcholine receptor
M. Tomizawa, J.E. Casida (USA) 61

Psychoneuroimmunological correlates of persisting sciatic pain in patients who underwent discectomy
A. Geiss, E. Varadi, K. Steinbach, H.W. Bauer, F. Anton (Germany, Luxembourg) 65

Quinpirole inhibits striatal and excites pallidal neurons in freely moving rats
K.C. Hooper, D.A. Banks, L.J. Stordahl, I.M. White, G.V. Rebec (USA) 69

Anoxic depression of light-evoked potentials in retina and optic tectum of crucian carp
D. Johansson, G.E. Nilsson, K.B. Døving (Norway) 73

Optical imaging of dynamic horizontal spread of excitation in rat auditory cortex slices
M. Kubota, S. Sugimoto, J. Horikawa, M. Nasu, I. Taniguchi (Japan) 77

Male sexual behavior is associated with LHRH neuron number in middle-aged rats
Y.-F. Tsai, H.-W. Tsai, M.-Y. Tai, R.-L. Huang, M.-T. Peng (Taiwan) 81

Age dependence of the T2-weighted MRI signal in brain structures of a prosimian primate (*Microcebus murinus*)
M. Dhenain, A. Volk, J.-L. Picq, M. Perret, F. Boller, J.-L. Michot (France) 85

Formalin injection in the tail facilitates hindpaw withdrawal reflexes induced by thermal stimulation in the rat: effect of paracetamol
M. Bianchi, A.E. Panerai (Italy) 89

PII S0304-3940(97)00825-2

Cytoskeletal alterations in the aged human neurohypophysis
C. Schultz, D. Koppers, H. Braak, E. Braak (Germany) 93
Accelerated breakdown and enhanced expression of c-Fos in the rat brain after noxious stimulation
J.L. Redburn, J.D. Leah (Australia) 97
Epileptic neurons induce augmenting synaptic depolarizations in non-epileptic neurons (buccal ganglia, *Helix pomatia*)
M. Wiemann, U. Altrup, E.-J. Speckmann (Germany) 101
Central nervous system TNFα-mRNA expression during rabbit experimental pneumococcal meningitis
A. Bitsch, F. Trostdorf, W. Brück, H. Schmidt, F.R. Fischer, R. Nau (Germany, USA) 105
Role of arm proprioception in calibrating the arm-eye temporal coordination
J.-L. Vercher, G.M. Gauthier, J. Cole, J. Blouin (France, UK) 109
Characterization of nociceptin-stimulated in situ [^{35}S]GTPγS binding in comparison with opioid agonist-stimulated ones in brain regions of the mice
I. Shimohira, S. Tokuyama, A. Himeno, M. Niwa, H. Ueda (Japan) 113
Lactate formation from [U-^{13}C]aspartate in cultured astrocytes: compartmentation of pyruvate metabolism
I.J. Bakken, L.R. White, J. Aasly, G. Unsgård, U. Sonnewald (Norway) 117
3-Nitropropionic acid induces poly(ADP-ribosyl)ation and apoptosis related gene expression in the striatum in vivo
T. Sugino, K. Nozaki, T. Tokime, N. Hashimoto, H. Kikuchi (Japan) 121
The lumbar cord location of the motoneurons innervating psoas and iliacus muscles: a single and double labeling study in the female Syrian golden hamster
P.O. Gerrits, J. Boers, G. Holstege (The Netherlands) 125
NADPH-diaphorase activity in the vagal afferent pathway of the dogfish, *Triakis scyllia*
K. Funakoshi, T. Kadota, Y. Atobe, R.C. Goris, R. Kishida (Japan) 129
Inhibition of acid-induced hyperaemia in the rat stomach by endogenous NK2 receptor ligands
A. Heinemann, V. Sattler, M. Jocic, P. Holzer (Austria) 133
Partial loss of tolerance liability to morphine analgesia in mice lacking the nociceptin receptor gene
H. Ueda, T. Yamaguchi, S. Tokuyama, M. Inoue, M. Nishi, H. Takeshima (Japan) 136

Author Index to Volume 237 139
Contents to Volume 237 142